

CAUTION — IF YOU HAVE YOUR JOURNALS BOUND, note that the following 1984 author/subject index contains a substantial number of items referenced to the "A-" pages which always precede the serially numbered main scientific content of each issue, and the "B-" pages, which succeed the scientific pages. These references cite information of value which, by format, does not lend itself to inclusion in the main portion of the issue.

When binding a year's collection of JOURNALS, it is common practice to strip off and discard the "A-" and "B-" portions of each copy.

BEFORE DISCARDING 1984 "A-" and "B-" PAGES — CHECK THEIR CONTENT, either by scanning the index and retaining cited pages, or reviewing each issue and retaining those "A-" and "B-" pages which may be of future value. Copies of any "A-" or "B-" pages previously discarded and now needed can be obtained from University Microfilms, Intl. Complete address and telephone number information is listed in the masthead on page A-3 of this or any issue of the JOURNAL.

1984 Authors' Index

A

ABDEL-KADER, Hassan M.: Isomeric Composition of Airborne TDI in the Polyurethane Foam Industry	199
ALBERT, Roy E.: Dose-Dependent Effects of Submicrometer Sulfuric Acid Aerosol on Particle Clearance from Ciliated Human Lung Airways	285
ALEXANDER, Greg R.: Use of Industrial Hygiene and Safety Professionals: A Survey of South Carolina Manufacturing Plants	365
ALLENDER, Joan: Workplace Protection Factor Measurements on Powered Air-Purifying Respirators at a Secondary Lead Smelter — Test Protocol	236
ANSUL, Gerald R.: Evaluation of the Standard NIOSH Type Charcoal Tube Sampling Method for Organic Vapors in Air	250
Sampling for Formaldehyde in Workplace and Ambient Air Environments — Additional Laboratory Validation and Field Verification of a Passive Air Monitoring Device Compared with Conventional Sampling Methods	318
Laboratory Validation and Field Verification of a New Passive Air Monitoring Badge for Sampling Ethylene Oxide in Air	697
APOL, Arvin: Investigation and Control of Occupational Hazards Associated with the Use of Spirit Duplicators	51
AYER, H.E.: Permeation of Chlorinated Aromatic Compounds Through Viton and Nitrile Glove Materials	617

B

BAGON, David A.: Evaluation of Total Isocyanate-in-Air Method Using 1-(2-Methoxyphenyl) Piperazine and HPLC	39
BAKER, L. Ross: Formaldehyde Concentrations in Workrooms Resulting from Off-Gassing from Sandpaper	499
BALL, Gwendolyn L.: Solvent Vapor Exposures in Booth Spray Painting and Spray Glueing, and Associated Operations	767
BALDIN, Ulf I.: Physiological Effects of Pressure Demand Masks During Heavy Exercise	177
BALYA, D.R.: Chromatographic Techniques for Characterization of Coal Tar Pitch Volatiles	260
BARBER, Melvin: Effects of Exercise Using Industrial Respirators	603
BARON, Paul A.: Pump Fluctuations and Their Effect on Cyclone Performance	10
Identification and Counting of Asbestos Fibers	84
BARTLEY, David L.: Pump Fluctuations and Their Effect on Cyclone Performance	10
BASILIO, Anthony N., Jr.: Laboratory Validation and Field Verification of a New Passive Colorimetric Air Monitoring Badge for Sampling Hydrogen Sulfide in Air	1
Sampling for Formaldehyde in Workplace and Ambient Air Environments — Additional Laboratory Validation and Field Verification of a Passive Air Monitoring Device Compared with Conventional Sampling Methods	318
Laboratory Validation and Field Verification of a New Passive Air Monitoring Badge for Sampling Ethylene Oxide in Air	697
BEAULIEU, Harry J.: Monitoring of Formic Acid in Urine of Humans Exposed to Low Levels of Formaldehyde	19
Field Validation Study of the MDA® Instant Working Level Meter in a High Gamma Background Mine Environment	708
BECKWITH, E.C.: On-Line Monitoring Methodology for Determining E _c in Carbon Adsorber Exhaust Air	468
BEHAR, A.: Noise Exposure — Sampling Strategy and Risk Assessment	105
BENSON, Janet M.: The Fractionation of Environmental Samples According to Volatility by Vacuum Line-Cryogenic Distillation	193
BERNSTEIN, Robert S.: Inhalation Exposure to Formaldehyde: An Overview of its Toxicology, Epidemiology, Monitoring and Control	778
BERARDINELLI, S.P.: Permeation of Polychlorinated Hyphenyls and Solutions of These Substances Through Selected Protective Clothing Materials	634
The Permeation of Eleven Protective Garment Materials by Four Organic Solvents	642
BETTS, M.R.: Permeation of Polychlorinated Hyphenyls and Solutions of These Substances Through Selected Protective Clothing Materials	634
The Permeation of Eleven Protective Garment Materials by Four Organic Solvents	642
BHATTACHARYA, Amit: Effects of Exercise Using Industrial Respirators	603
BIGU, J.: A Walk-In Radon/Thoron Test Facility	525
BISGAARD, Paul: A Method for Personal Sampling and Analysis of Nanogram Amounts of Formaldehyde in Air	425
BISHOP, Edward: Field Comparison Between Two Nitrous Oxide (N ₂ O) Passive Monitors and Conventional Sampling Methods	812

AUTHOR INDEX

BLADE, Leo: Inhalation Exposure to Formaldehyde: An Overview of its Toxicology, Epidemiology, Monitoring and Control	778
BLUNDEN, Patricia B.: Exposure of Embalmers to Formaldehyde and Other Chemicals	172
BONGIOVANNI, R.: Analysis of Trace Amounts of Six Selected Poly-Nitro Compounds in Soils	222
BORDERS, Richard A.: Improved Methodology for Field Validation of Industrial Hygiene Monitoring Methods	299
BOTHWELL, Peter D.: Fabric Protector Tests. Part II - Propane, 1,1,1-Trichloroethane, and Petroleum Distillates Levels in Air After Application of Fabric Protectors	28
BOWMAN, Joseph D.: Pump Fluctuations and Their Effect on Cyclone Performance	10
BRAUNSTEIN, H.M.: Hazardous Materials Management and Control Program at Oak Ridge National Laboratory — Environmental Protection	212
BREUER, George M.: Pump Fluctuations and Their Effect on Cyclone Performance	10
BRIANT, J.K.: The Influence of Electrostatic Charge on the Performance of 10-mm Nylon Cyclones	440
BROWN, R.H.: A Diffusive Sampler Evaluation Protocol	67
A Personal Sampling Method for the Determination of Nitrous Oxide Exposure	345
BROWN, Richard H.: Evaluation of Total Isocyanate-In-Air Method Using 1-(2-Methoxyphenyl) Piperazine and HPLC	39
BUCHAN, Roy M.: Ambient Total Suspended Particulate Matter and Benzo(a)Pyrene Concentrations from Residential Wood Combustion in a Mountain Resort Community	431
BURKART, John A.: A Practical Statistical Quality Control Scheme for the Industrial Hygiene Chemistry Laboratory	386

C

CALVO, D.J.: A Multiconcentration Controlled Test Atmosphere System for Calibration Studies	99
CARTER, James W.: Identification and Counting of Asbestos Fibers	84
CHAVALITNITIKUL, Chaiyuth: A Laboratory Evaluation of Wipe Testing Based on Lead Oxide Surface Contamination	311
Study and Models of Total Lead Exposures of Battery Workers	802
CHECKOWAY, HARVEY: Cancer Mortality and Solvent Exposures in the Rubber Industry	809
CHEN, Lung-Chi: Study and Models of Total Lead Exposures of Battery Workers	802
CHENG, Y.S.: Characterization of Diesel Exhaust in a Chronic Inhalation Study	547
CHENG, Yung-Sung: Analysis of Screen Diffusion Battery Data	556
CHOVIL, Alan: Use of Industrial Hygiene and Safety Professionals: A Survey of South Carolina Manufacturing Plants	365
CLARK, L.D.: Analysis of Trace Amounts of Six Selected Poly-Nitro Compounds in Soils	222
CGHEN, Beverly S.: Bias in Air Sampling Techniques Used to Measure Inhalation Exposure	187
Effects of Electrostatic Charge on Aerosol Collection with Polystyrene Filter Cassettes	745
COHN, Kristine K.: The Use of GC/MS Analysis and Fungal Culturing in a Pulp Mill Industrial Hygiene Program	594
COHR, Karl-Heinz: The Recovery of Ketones from Gas-Sampling Charcoal Tubes	231
COLDIRON, V.R.: Safe Decontamination of Hospital Autopsy Rooms and Ventilation System by Formaldehyde Generation	136
COMPTON, Joseph R.: The Effect of Square Wave Exposure Profiles Upon the Performance of Passive Organic Vapor Monitoring Badges	446
COOK, Courtney F.: Effect of Radio Frequency Interference on Common Industrial Hygiene Monitoring Instruments	740
COX, P.C.: A Personal Sampling Method for the Determination of Nitrous Oxide Exposure	345
CRAWFORD, Gary N.: Odor Threshold Determination for 2-Nitropropane	(2):B-7
CROUSE, William E.: Application of Industrial Hygiene Air Sampling Data to the Evaluation of Controls for Air Contaminants	773
CUDDIHY, R.G.: A Double Isotope Method for Characterizing Hygroscopic Selenious Acid Aerosols Used in Inhalation Exposures	562
CUTRIGHT, Ken: Workplace Protection Factor Measurements on Powered Air-Purifying Respirators at a Secondary Lead Smelter: Results and Discussion	681

D

DAHL, Alan R.: The Fractionation of Environmental Samples According to Volatility by Vacuum Line-Cryogenic Distillation	193
A Double Isotope Method for Characterizing Hygroscopic Selenious Acid Aerosols Used in Inhalation Exposures	562
DAHLBÄCK, Gunnar O.: Physiological Effects of Pressure Demand Masks During Heavy Exercise	177
DAMRELL, Debra J.: Laboratory Validation and Field Verification of a New Passive Colorimetric Air Monitoring Badge for Sampling Hydrogen Sulfide in Air	1
Laboratory Validation and Field Verification of a New Passive Air Monitoring Badge for Sampling Ethylene Oxide in Air	697
DANCHIK, R.S.: Chromatographic Techniques for Characterization of Coal Tar Pitch Volatiles	260
DELUCCA, A.J., II: Gram-Negative Bacterial Endotoxins in Grain Elevator Dusts	336
DEMOOR, Hans M.: Laboratory Validation and Field Verification of a New Passive Colorimetric Air Monitoring Badge for Sampling Hydrogen Sulfide in Air	1
DICKER, Wendy L.: An Evaluation of the Precision and Accuracy of the Direct Transfer Method for the Analysis of Asbestos Fibers with Comparison to the NIOSH Method	329
DIETZ, Edward A., Jr.: Methods for Sampling and Determining Chlorotrifluoroethylene (CTFE) in Air	382
DIXON, S.W.: A Multiconcentration Controlled Test Atmosphere System for Calibration Studies	99
Evaluation of the Standard NIOSH Type Charcoal Tube Sampling Method for Organic Vapors in Air	250
DOUGLAS, Janina J.: Laboratory Validation and Field Verification of a New Passive Air Monitoring Badge for Sampling Ethylene Oxide in Air	697
DRISCOLL, Dennis P.: Comparisons Between the Median Hearing Threshold Levels for an Unscreened Black Non-Industrial Noise Exposed Population (NINEP) and Four Presbycusis Data Bases	577
DROWN, David B.: A Nose-Only Inhalation Exposure System for Generation, Treatment and Characterization of Formaldehyde Vapor	269

DUKES-DOBOS, Frank: Effects of Respirators Under Heat/Work Conditions	399
DUTCHER, J.S.: Generation and Characterization of Radiolabeled Diesel Exhaust	491
DWIGGINS, George A.: The Effect of Square Wave Exposure Profiles Upon the Performance of Passive Organic Vapor Monitoring Badges	446

E

EGGENBERGER, Lance M.: A Practical Statistical Quality Control Scheme for the Industrial Hygiene Chemistry Laboratory	386
EISEN, Ellen A.: Estimation of Long Term Dust Exposures in the Vermont Granite Sheds	89
EISENHOWER, B.M.: Hazardous Materials Management and Control Program at Oak Ridge National Laboratory — Environmental Protection	212
ELLIOTT, Larry J.: Inhalation Exposure to Formaldehyde: An Overview of Its Toxicology, Epidemiology, Monitoring and Control	778
EMORY, Jane: Effects of Exercise Using Industrial Respirators	603
ENGLEMAN, Steven D.: Field Validation Study of the MDA® Instant Working Level Meter in a High Gamma Background Mine Environment	708
EVANS, Janice P.: Aerodynamic Force Required to Detach Bract and Leaf Dust Dispersed on Cotton	832

F

FAIRCHILD, C.I.: Calibration and Evaluation of a Real-Time Cascade Impactor	205
FALBO, Lewis: Evaluation of the Standard NIOSH Type Charcoal Tube Sampling Method for Organic Vapors in Air	250
FALK, Henry: Inhalation Exposure to Formaldehyde: An Overview of its Toxicology, Epidemiology, Monitoring and Control	778
FARRELL, Bernard P.: Sulfur Dioxide and Ammonium Sulfate Effects on Pulmonary Function and Bronchial, Reactivity in Human Subjects	156
FEIGLEY, Charles E.: The Effect of Square Wave Exposure Profiles Upon the Performance of Passive Organic Vapor Monitoring Badges	446
FERGIN, G. Stanley: Respirator Evaluation for Carbon Setters with Beards	533
FINE, Lawrence J.: Solvent Vapor Exposures in Booth Spray Painting and Spray Glueing, and Associated Operations	767
FINN, Mark B.: Detection of Chrysotile Asbestos in Workers' Urine	752
FIRST, M.W.: Personal Air Samplers for Measuring Occupational Exposures to Biological Hazards	76
FOLKE, Jens: The Recovery of Ketones from Gas-Sampling Charcoal Tubes	231
FOX, Douglas G.: Ambient Total Suspended Particulate Matter and Benzo(a)Pyrene Concentrations for Residential Wood Combustion in a Mountain Resort Community	431
FRANK, Richard: Occupational Exposure of Herbicide Applicators to Herbicides Used Along Electric Power Transmission Line Right-of-Way	56
FRASER, David A.: Recognition, Evaluation and Control: The Acceleration of the Process (Cummings Memorial Lecture-1984)	573
FREDERICK, Linda J.: Investigation and Control of Occupational Hazards Associated with the Use of Spirit Duplicators	51
FREELAND, L.T.: A Multiconcentration Controlled Test Atmosphere System for Calibration Studies	99
FROINES, John: Estimation of Long Term Dust Exposures in the Vermont Granite Sheds	89

G

GARRISON, Richard P.: Odor Threshold Determination for 2-Nitropropane	(2):B-7
GERO, A.J.: Comparison of Mass Concentrations Determined with Personal Respirable Coal Mine Dust Samplers Operating at 1.2 Liters Per Minute and the Casella 113A Gravimetric Sampler (MRE)	826
GLUCK, Steven J.: Improved Methodology for Field Validation of Industrial Hygiene Monitoring Methods	299
GODSHALL, M.A.: Gram-Negative Bacterial Endotoxins in Grain Elevator Dusts	336
GOTTSCHLING, Lynn M.: Monitoring of Formic Acid in Urine of Humans Exposed to Low Levels of Formaldehyde	19
GRAY, R.H.: Deposition and Retention of Inhaled Aggregate ⁶⁷ Ga ₂ O ₃ Particles in Beagle Dogs, Fischer-344 Rats, and CD-1 Mice	377
GREENBERG, Leo: Enhancing the Usability of Safety Software for Microcomputers	451

H

HAACK, L.P.: On-Line Monitoring Methodology for Determining E _r in Carbon Adsorber Exhaust Air	468
HABERMAN, Steven A.: Size Classification of Fibers and Isometric Particles Keeping Each Fraction Airborne	598
HAKES, Daniel C.: Procedure for Elimination of Phenol Interference in the Chromographic Acid Method for Formaldehyde	274
HALLENBECK, William H.: Detection of Chrysotile Asbestos in Workers' Urine	752
HALLNE, Ulf: Environmental Factors and Uptake of Cadmium Among Brazers Using Cadmium-Containing Hard Solders	353
HALVERSON, Mark A.: Aerosols Generated by Accidents: Pressurized Liquid Release Experiments	227
HALVORSON, David O.: Determination of Benzoic Acid in Air	727
HAMMAD, Yehia Y.: Isomeric Composition of Airborne TDI in the Polyurethane Foam Industry	199
Estimation of Lobar Minute Volume in the Rat	351
Lobar Deposition of Fibers in the Rat	436
HAMPL, Vladimir: Evaluation of Industrial Local Exhaust Hood Efficiency by a Tracer Gas Technique	485
HANCOCK, P.A.: Effect of Environmental Temperature on Display Monitoring Performance: An Overview with Practical Implications	122
HANSEN, Doan J.: Earplugs — A Computer Program for Simulation of Personal Hearing Protection Devices	154
HANSON, Ray L.: The Fractionation of Environmental Samples According to Volatility by Vacuum Line-Cryogenic Distillation	193
HARBER, Philip: Effects of Exercise Using Industrial Respirators	603
HARLEY, Naomi H.: Bias in Air Sampling Techniques Used to Measure Inhalation Exposure	187
HARRIS, Robert L., Jr.: Reconstruction of Silica Exposure in the North Carolina Dusty Trades	689

AUTHOR INDEX

HARVEY, R.P.: A Diffusive Sampler Evaluation Protocol	67
HEDSTROM, Lars: Environmental Factors and Uptake of Cadmium Among Brazers Using Cadmium-Containing Hard Solders	353
HEITBRINK, William A.: Application of Industrial Hygiene Air Sampling Data to the Evaluation of Controls for Air Contaminants	773
HELMKAMP, James C.: Whole Body Vibration — A Critical Review	162
HENNINGWAY, R.E.: A Multiconcentration Controlled Test Atmosphere System for Calibration Studies	99
Evaluation of the Standard NIOSH Type Charcoal Tube Sampling Method for Organic Vapors in Air	250
HENRY, Timothy J.: Laboratory Validation and Field Verification of a New Passive Colorimetric Air Monitoring Badge for Sampling Hydrogen Sulfide in Air	1
Evaluation of the Standard NIOSH Type Charcoal Tube Sampling Method for Organic Vapors in Air	250
Laboratory Validation and Field Verification of a New Passive Colorimetric Air Monitoring Badge for Sampling Ethylene Oxide in Air	697
HICKEY, John: Environmental Study of Poultry Confinement Buildings	760
HILL, Ronald H.: Ultraviolet Detection of Synthetic Oil Contamination of Skin	474
HINES, Cynthia J.: Estimation of Cumulative Exposures to Ethylene Oxide Associated with Hospital Sterilizer Operation	44
HOFFMAN, Vivian J.: Methods for Sampling and Determining Chlorotrifluoroethylene (CTFE) in Air	382
HOLDREN, M.W.: Gas Phase Reaction of Toluene Diisocyanate with Water Vapor	626
HOLGERSSON, Margareta: Environmental Factors and Uptake of Cadmium Among Brazers Using Cadmium-Containing Hard Solders	353
HOLLER, Albert C.: Occupational Hazards of Farriers	34
HORSTMAN, S.W.: Permeation Through Five Commercially Available Glove Materials by Two Pentachlorophenol Formulations	501
HOSSAIN, Mohammad A.: Field Comparison Between Two Nitrous Oxide (N ₂ O) Passive Monitors and Conventional Sampling Methods	812
HUGGINS, Patricia A.: Effect of Radio Frequency Interference on Common Hygiene Monitoring Instruments	740
HUGGINS, Ronald G.: Nonionizing Radiation Aspects of Optical Fiber Manufacturing	796

I

ISKANDER, Wafik: Workplace Protection Factor Measurements on Powered Air-Purifying Respirators at a Secondary Lead Smelter: Results & Discussion	681
--	-----

J

JAMES, Ralph: Effects of Respirators Under Heat/Work Conditions	399
JANKOWSKI, Robert A.: Correlations Between Measurements with RAM-1 and Gravimetric Samplers on Longwall Shearer Faces	610
JANSSEN, H. Erle, Jr.: Safe Decontamination of Hospital Autopsy Rooms and Ventilation System by Formaldehyde Generation	136
JÄPPINEN, P.: Exposure to Hydrogen Sulfide, Mercaptans and Sulfur Dioxide in Pulp Industry	787
JIANG, Bernard C.: A Manual Materials Handling Study of Bag Lifting	505
JOHANSEN, Inger: The Recovery of Ketones from Gas-Sampling Charcoal Tubes	231
JOHANSON, Richard E.: Some Observations on Frequency of Respirator Fit Tests	134
JOHNSON, Glenn D.: Procedure for Elimination of Phenol Interference in the Chromotropic Acid Method for Formaldehyde	274
JONES, William: Environmental Study of Poultry Confinement Buildings	760
JONES, William G.: Characterization of Airborne Cotton Dust Concentration in the Non-Textile Cotton Industry	538

K

KACSMAR, P.M.: Comparison of Mass Concentrations Determined with Personal Respirable Coal Mine Dust Samplers Operating at 1.2 Liters Per Minute and the Casella 113A Gravimetric Sampler (MRE)	826
KANAPILLY, G.M.: Deposition and Retention of Inhaled Aggregate ⁶⁷ Ga ₂ O ₃ Particles in Beagle Dogs, Fischer-344 Rats, and CD-1 Mice	377
KANGAS, J.: Exposure to Hydrogen Sulfide, Mercaptans and Sulfur Dioxide in Pulp Industry	787
KERR, H. David: Sulfur Dioxide and Ammonium Sulfate Effects on Pulmonary Function and Bronchial Reactivity in Human Subjects	156
KIMBROUGH, Renate: Inhalation Exposure to Formaldehyde: An Overview of its Toxicology, Epidemiology, Monitoring and Control	778
KING, Robert H.: Field Validation Study of the MDA® Instant Working Level Meter in a High Gamma Background Mine Environment	708
KNIGHT, G.: Interlaboratory Crosscheck of Quartz Analysis on Mine Airborne Dust Samples	655
KNOX, Scott E.: Phenol Interference in the Mercury-Free Pararosaniline Method and the Chromotropic Acid Method for Formaldehyde	325
KNUTH, Ronald H.: Calibration and Field Application of a Sierra Model 235 Cascade Impactor	393
KRING, Elbert V.: Laboratory Validation and Field Verification of a New Passive Colorimetric Air Monitoring Badge for Sampling Hydrogen Sulfide in Air	1
Evaluation of the Standard NIOSH Type Charcoal Tube Sampling Method for Organic Vapors in Air	250
Sampling for Formaldehyde in Workplace and Ambient Air Environments — Additional Laboratory Validation and Field Verification of a Passive Air Monitoring Device Compared with Conventional Sampling Methods	318
Laboratory Validation and Field Verification of a New Passive Air Monitoring Badge for Sampling Ethylene Oxide in Air	697
KULLE, Thomas J.: Sulfur Dioxide and Ammonium Sulfate Effects on Pulmonary Function and Bronchial Reactivity in Human Subjects	156

L

LAING, Stewart J.: Formaldehyde Concentrations in Workrooms Resulting from Off-Gassing from Sandpaper	499
LANGHORST, Marsha L.: Glycol Ethers — Validation Procedures for Tube/Pump and Dosimeter Monitoring Methods	416
LANGOLF, Gary D.: Solvent Vapor Exposures in Booth Spray Painting and Spray Glueing, and Associated Operations	767

LAOSMAA, Pekka J.J.: Size Classification of Fibers and Isometric Particles Keeping Each Fraction Airborne	598
LEACH, Chester L.: A Nose-Only Inhalation Exposure System for Generation, Treatment and Characterization of Formaldehyde Vapor	269
LEE, T.C.: Malathion and Diazinon Levels in Grain Dust from New Orleans Area Grain Elevators	168
LEFEBRE, H.: Theory and Practice in the Development of a Multisorbent Passive Dosimeter System	145
LEIKAUF, George D.: Dose-Dependent Effects of Submicrometer Sulfuric Acid Aerosol on Particle Clearance from Ciliated Human Lung Airways	285
LEITH, David: Precision of Particle Concentrations Determined by Counting	242
LENHART, S.W.: In-Mask Aerosol Sampling for Powered Air Purifying Respirators	278
LEVIN, Lester: A Laboratory Evaluation of Wipe Testing Based on Lead Oxide Surface Contamination	311
Study and Models of Total Lead Exposures of Battery Workers	802
LEVINE, Richard J.: Exposure of Embalmers to Formaldehyde and Other Chemicals	172
LEVINE, S.P.: On-Line Monitoring Methodology for Determining E ₁ in Carbon Adsorber Exhaust Air	468
LIBICH, Steven: Occupational Exposure of Herbicide Applicators to Herbicides Used Along Electric Power Transmission Line Right-of-Way	56
LIPPMANN, Morton: Bias in Air Sampling Techniques Used to Measure Inhalation Exposure	187
Dose-Dependent Effects of Submicrometer Sulfuric Acid Aerosol on Particle Clearance from Ciliated Human Lung Airways	285
LIU, Benjamin Y.: In-Mask Aerosol Sampling for Powered Air Purifying Respirators	278
LOPEZ, J.A.: Generation and Characterization of Radiolabeled Diesel Exhaust	491
LOSCHIAVO, J.G.: Effect of Facial Hair on the Face Seal of Negative-Pressure Respirators	63
LOUIS, Thomas A.: Estimation of Long Term Dust Exposures in the Vermont Granite Sheds	89
LUDWIG, David A.: The Effect of Square Wave Exposure Profiles Upon the Performance of Passive Organic Vapor Monitoring Badges	446
LUMSDEN, John C.: Reconstruction of Silica Exposure in the North Carolina Dusty Trades	689
LUNDBERG, Ingvar: Environmental Factors and Uptake of Cadmium Among Brazers Using Cadmium-Containing Hard Solders	353
LUXON, Stuart G.: A History of Industrial Hygiene (Yant Memorial Lecture - 1984)	731

M

MACHER, J.M.: Personal Air Samplers for Measuring Occupational Exposures to Biological Hazards	76
MARANO, R.S.: On-Line Monitoring Methodology for Determining E ₁ in Carbon Adsorber Exhaust Air	468
MARCIANO, Douglas H.: The Use of GC/MS Analysis and Fungal Culturing in a Pulp Mill Industrial Hygiene Program	594
MARCHEVKA, John S.: Procedure for Elimination of Phenol Interference in the Chromotropic Acid Method for Formaldehyde	274
MARSH, Gary M.: Whole Body Vibration — A Critical Review	162
MARSH, James L.: Evaluation of Irritant Smoke Qualitative Fitting Test for Respirators	245
Evaluation of Saccharin Qualitative Fitting Test for Respirators	371
MARSHALL, Elizabeth G.: Cancer Mortality and Solvent Exposures in the Rubber Industry	809
MARTIN, Kenneth P., Jr.: Precision of Particle Concentration Determined by Counting	242
MARTINEZ, A.M.: Permeation of Polychlorinated Hyphenyls and Solutions of These Substances Through Selected Protective Clothing Materials	634
The Permeation of Eleven Protective Garment Materials by Four Organic Solvents	642
MAUDERLY, J.L.: Characterization of Diesel Exhaust in a Chronic Inhalation Study	547
MAZUR, Peter O.: Oxygen Deficiency Hazards Associated with Liquefied Gas Systems: Derivation of a Program of Controls	293
McCLELLAN, R.O.: Deposition and Retention of Inhaled Aggregate ⁶⁷ Ga ₂ O ₃ Particles in Beagle Dogs, Fischer-344 Rats, and CD-1 Mice	377
Generation and Characterization of Radiolabeled Exhaust	491
McFEE, Donald R.: Odor Threshold Determination for 2-Nitropropane	(2):B-7
McGIBNEY, Paul D.: Sampling for Formaldehyde in Workplace and Ambient Air Environments — Additional Laboratory Validation and Field Verification of a Passive Air Monitoring Device Compared with Conventional Sampling Methods	318
Laboratory Validation and Field Verification of a New Passive Air Monitoring Badge for Sampling Ethylene Oxide in Air	697
McLEOD, M.J.: Permeation of Polychlorinated Hyphenyls and Solutions of These Substances Through Selected Protective Clothing Materials	634
The Permeation of Eleven Protective Garment Materials by Four Organic Solvents	642
MEDINSKY, M.A.: A Double Isotope Method for Characterizing Hygroscopic Selenious Acid Aerosols Used in Inhalation Exposures	562
MELCHER, Richard G.: Improved Methodology for Field Validation of Industrial Hygiene Monitoring Methods	299
MELNICK, William: Evaluation of Industrial Hearing Conservation Program: A Review and Analysis	459
MELVIN, Walter W.: Monitoring of Formic Acid in Urine of Humans Exposed to Low Levels of Formaldehyde	19
MEYERS, Warren R.: Workplace Protection Factor Measurements on Helmeted, High Efficiency, Powered Air-Purifying Respirators at a Secondary Lead Smelter: Part 1 Pest Protocol	236
MICKELSON, Kristine K.: The Use of GC/MS Analysis and Fungal Culturing in a Pulp Mill Industrial Hygiene Program	594
MIDDENDORF, Paul J.: Kidney Dialysis: Ambient Formaldehyde Levels	48
MIKATAVAGE, M.: Permeation of Chlorinated Aromatic Compounds Through Viton and Nitrile Glove Materials	617
MILLER, Timothy M.: Oxygen Deficiency Hazards Associated with Liquefied Gas Systems: Derivation of a Program of Controls	293
MILLER, W. Robert: Sulfur Dioxide and Ammonium Sulfate Effects on Pulmonary Function and Bronchial Reactivity in Human Subjects	156
MILMAN, James H.: Sulfur Dioxide and Ammonium Sulfate Effects on Pulmonary Function and Bronchial Reactivity in Human Subjects	156
MOKLER, B.V.: Characterization of Diesel Exhaust in a Chronic Inhalation Study	547
MOLHAVE, Lars: A Method for Personal Sampling and Analysis of Nonogram Amounts of Formaldehyde in Air	425
MONTALVO, Joseph G., Jr.: Aerodynamic Force Required to Detach Bract and Leaf Dust Dispersed on Cotton	832
MOORE, G.: Theory and Practice in the Development of a Multisorbent Passive Dosimeter System	145
MORELLO, Joseph A.: Evaluation of the Standard NIOSH Type of Charcoal Tube Sampling Method for Organic Vapors in Air	250

AUTHOR INDEX

MORGAN, M.S.: Permeation Through Five Commercially Available Glove Materials by Two Pentachlorophenol Formulations	501
MORGAN, Michael S.: Some Observations on Frequency of Respirator Fit Tests	134
MORRING, Kathy: Environmental Study of Poultry Confinement Buildings	760
MOSS, O.R.: The Influence of Electrostatic Charge on the Performance of 10-mm Nylon Cyclones	440
MURPHY, Dennis J.: Ambient Total Suspended Particulate Matter and Benzo(a)Pyrene Concentrations for Residential Wood Combustion in a Mountain Resort Community	431
MYERS, Warren R.: Workplace Protection Factor Measurements on Powered Air-Purifying Respirators at a Secondary Lead Smelter — Test Protocol	236
In-Mask Aerosol Sampling for Powered Air Purifying Respirators	278
Workplace Protection Factor Measurements on Powered Air-Purifying Respirators at a Secondary Lead Smelter: Results and Discussion	681

N

NAZAR, Mark A.: An Evaluation of the Precision and Accuracy of the Direct Transfer Method for the Analysis of Asbestos Fibers with Comparison to the NIOSH Method	329
NELSON, James H.: A Practical Statistical Quality Control Scheme for the Industrial Hygiene Chemistry Laboratory	386
Application of Gas Adsorption Kinetics: I. A Theoretical Model for Respirator Cartridge Service Life	509
Application of Gas Adsorption Kinetics: II. A Theoretical Model for Respirator Cartridge Service Life and Its Practical Applications	517
NICHOLSON, Paul R.: A Practical Statistical Quality Control Scheme for the Industrial Hygiene Chemistry Laboratory	386
NIGG, H.N.: The Development and Use of a Universal Model to Predict Tree Crop Harvester Pesticide Exposure	182

O

O'DELL, Hershell L.: Sampling for Formaldehyde in Workplace and Ambient Air Environments — Additional Laboratory Validation and Field Verification of a Passive Air Monitoring Device Compared with Conventional Sampling Methods	318
OAKES, T.W.: Hazardous Materials Management and Control Program at Oak Ridge National Laboratory — Environmental Protection	212
OBERG, Steven G.: A Nose-Only Inhalation Exposure System for Generation, Treatment and Characterization of Formaldehyde Vapor	269
OLENCHOCK, Stephen A.: Environmental Study of Poultry Confinement Buildings	760
OTI, K. Lawson: Assessing the Performance of Activated Carbon in the Indoor Environment	714
OTSON, Rein: Fabric Protector Tests. Part I - Evaluation of a Grab Sampling Technique for Determination of Organic Vapors	24
Fabric Protector Tests. Part II - Propane, 1,1,1-Trichloroethane, and Petroleum Distillates Levels in Air After Application of Fabric Protectors	28

P

PAGE, Steven J.: Correlations Between Measurements with RAM-1 and Gravimetric Samplers on Longwall Shearer Faces	610
PAHL, T.R.: Application of Internal Standards in Routine Vapor Measurements by Gas Chromatography	95
PALMGREN, M.S.: Gram-Negative Bacterial Endotoxins in Grain Elevator Dusts	336
Malathion and Diazinon Levels in Grain Dust from New Orleans Area Grain Elevators	168
PANG, Thomas W.S.: An Evaluation of the Precision and Accuracy of the Direct Transfer Method for the Analysis of Asbestos Fibers with Comparison to the NIOSH Method	329
PARKER, R.D.R.: Comparison of Heat Stress Measuring Techniques in a Steel Mill	405
PEACH, Michael J., III: Workplace Protection Factor Measurements on Powered Air-Purifying Respirators at a Secondary Lead Smelter — Test Protocol	236
Workplace Protection Factor Measurements on Powered Air-Purifying Respirators at a Secondary Lead Smelter: Results and Discussion	681
PETERSEN, R.C.: Nonionizing Radiation Aspects of Optical Fiber Manufacturing	796
PHELPS, D.W.: Application of Internal Standards in Routine Vapor Measurements by Gas Chromatography	95
PHILEN, D.L.: Nonionizing Radiation Aspects of Optical Fiber Manufacturing	796
PIACITELLI, Greg M.: Characterization of Airborne Cotton Dust Concentrations in the Non-Textile Cotton Industry	538
PIERCE, F.D.: Comparison of Heat Stress Measuring Techniques in a Steel Mill	405
PLENER, R.: Noise Exposure — Sampling Strategy and Risk Assessment	105
PODOLAK, G.E.: Analysis of Trace Amounts of Six Selected Poly-Nitro Compounds in Soils	222
POPENDORF, William J.: Vapor Pressure and Solvent Vapor Hazards	719
POWELL, Robert W.: Estimating Worker Exposure to Gases and Vapors Leaking from Pumps and Valves	(11):A-7
PURNELL, C.J.: A Diffusive Sampler Evaluation Protocol	67

Q

QUE HE, Shane S.: Phenol Interference in the Mercury-Free Pararosaniline Method and the Chromotropic Acid Method for Formaldehyde	325
Permeation of Chlorinated Aromatic Compounds Through Viton and Nitrile Glove Materials	617
QUEEN, R.M.: The Development and Use of a Universal Model to Predict Tree Crop Harvester Pesticide Exposure	182

R

RANDO, Roy J.: Isomeric Composition of Airborne TDI in the Polyurethane Foam Industry	199
REIST, Parker C.: The Critical Orifice Revisited: A Novel Low Pressure Drop Critical Orifice	340
RICE, Carol: Reconstruction of Silica Exposure in the North Carolina Dusty Trades	689
RIETZ, Bernd: A Method for Personal Sampling and Analysis of Nanogram Amounts of Formaldehyde in Air	425

RIGGIN, R.M.: Gas Phase Reaction of Toluene Diisocyanate with Water Vapor	626
RILEY, T.L.: On-Line Monitoring Methodology for Determining E ₁ in Carbon Adsorber Exhaust Air	468
ROSENBERG, Christina: Airborne Isocyanates in Polyurethane Spray Painting: Determination and Respirator Efficiency	117
ROTHENBERG, Simon J.: The Fractionation of Environmental Samples According to Volatility by Vacuum Line-Cryogenic Distillation	193
A Double Isotope Method for Characterizing Hygroscopic Selenious Acid Aerosols Used in Inhalation Exposures	562
ROWHANI, Fazelollah: Estimation of Lobar Minute Volume in the Rat	351
Lobar Deposition of Fibers in the Rat	436
ROYESTER, Larry H.: Comparisons Between the Median Hearing Threshold Levels for an Unscreened Black Non-Industrial Noise Exposed Population (NINEP) and Four Presbycusis Data Bases	577
RUBOW, K.L.: In-Mask Aerosol Sampling for Powered Air Purifying Respirators	278

S

Saltzman, Bernard E.: Generalized Performance Characteristics of Miniature Cyclones for Atmospheric Particulate Sampling	671
.SAMIMI, Behzad: Evaluation of the Standard NIOSH Type Charcoal Tube Sampling Method for Organic Vapors in Air	250
SAUDER, Larry R.: Sulfur Dioxide and Ammonium Sulfate Effects on Pulmonary Function and Bronchial Reactivity in Human Subjects	156
SAUNDERS, K.J.: A Diffusive Sampler Evaluation Protocol	67
SAVOLAINEN, H.: Exposure to Hydrogen Sulfide, Mercaptans and Sulfur Dioxide in Pulp Industry	787
SCARBOROUGH, D.T.: Analysis of Trace Amounts of Six Selected Poly-Nitro Compounds in Soils	222
SCHIRMER, R.E.: Application of Internal Standards in Routine Vapor Measurements by Gas Chromatography	95
SCHULTE, Paul A.: Investigation and Control of Occupational Hazards Associated with the Use of Spirit Duplicators	51
SEGA, K.: In-Mask Aerosol Sampling for Powered Air Purifying Respirators	278
SHANTY, Frank: Sulfur Dioxide and Ammonium Sulfate Effects on Pulmonary Function and Bronchial Reactivity in Human Subjects	156
SHARMA, R.P.: A Nose-Only Inhalation Exposure System for Generation, Treatment and Characterization of Formaldehyde Vapor	269
SHOTWELL, Henry P.: A Ventilation Design Program for Hand-Held Programmable Computers	749
SHULMAN, Stanley A.: Identification and Counting of Asbestos Fibers	84
Control of Styrene Vapor in a Large Fiberglass Boat Manufacturing Operation	817
SILKOWSKI, J.B.: Permeation Through Five Commercially Available Glove Materials by Two Pentachlorophenol Formulations	501
SIMON, Carol E.: Laboratory Validation and Field Verification of a New Passive Colorimetric Air Monitoring Badge for Sampling Hydrogen Sulfide in Air	1
SIRONS, George J.: Occupational Exposure of Herbicide Applicators to Herbicides Used Along Electric Power Transmission Line Right-of-Way	56
SJÖGREN, Bengt: Environmental Factors and Uptake of Cadmium Among Brazers Using Cadmium Containing Hard Solders	353
SKOTTE, Jorgen: Exposure of Radio Officers to Radio Frequency Radiation in Danish Merchant Ships	791
SKRETVEDT, O.T.: Effect of Facial Hair on the Face Seal of Negative-Pressure Respirators	63
SMITH, James L.: A Manual Materials Handling Study of Bag Lifting	505
SMITH, Kenneth A., Jr.: Kidney Dialysis: Ambient Formaldehyde Levels	48
SMITH, Randy: Effects of Respirators Under Heat/Work Conditions	399
SMITH, Thomas J.: Estimation of Long Term Dust Exposures in the Vermont Granite Sheds	89
SPEAR, Robert C.: Estimation of Cumulative Exposures to Ethylene Oxide Associated With Hospital Sterilizer Operation	44
SPEKTOR, Dalia M.: Dose-Dependent Effects of Submicrometer Sulfuric Acid Aerosol on Particle Clearance From Ciliated Human Lung Airways	285
SPICER, C.W.: Gas Phase Reaction of Toluene Diisocyanate With Water Vapor	626
STAMPER, J.H.: The Development and Use of a Universal Model to Predict Tree Crop Harvester Pesticide Exposure	182
STAMPFER, J.F.: Permeation of Polychlorinated Biphenyls and Solutions of These Substances Through Selected Protective Clothing Materials	634
Permeation of Eleven Protective Garment Materials by Four Organic Solvents	642
STAYNER, Leslie T.: Inhalation Exposure to Formaldehyde: An Overview of Its Toxicology, Epidemiology, Monitoring and Control	778
STEINBERG, Anya E.: Assessing the Performance of Activated Carbon in the Indoor Environment	714
STEINLE, S.: Theory and Practice in the Development of a Multisorbent Passive Dosimeter System	145
STEPHENS, James S.: Sampling for Formaldehyde in Workplace and Ambient Air Environments — Additional Laboratory Validation and Field Verification of a Passive Air Monitoring Device Compared with Conventional Sampling Methods	318
STOKINGER, Herbert E.: A Review of World Literature Finds Iron Oxides Noncarcinogenic	127
SUN, J.D.: Generation and Characterization of Radiolabeled Diesel Exhaust	491
SUTTER, Sue L.: Aerosols Generated by Accidents: Pressurized Liquid Release Experiments	227
SYMONS, Michael J.: Reconstruction of Silica Exposure in the North Carolina Dusty Trades	689

T

TALBOTT, Evelyn O.: Whole Body Vibration — A Critical Review	162
TAMMIE, Joseph: Effects of Exercise Using Industrial Respirators	603
TAYLOR, David G.: Identification and Counting of Asbestos Fibers	84
TESTAGROSSA, P.A.: Nonionizing Radiation Aspects of Optical Fiber Manufacturing	796
THIBODEAUX, Devron P.: Aerodynamic Force Required to Detach Bract and Leaf Dust Dispersed on Cotton	832
TO, James C.: Occupational Exposure of Herbicide Applicators to Herbicides Used Along Electric Power Transmission Line Right-of-Way	56
TODD, William F.: Control of Styrene Vapor in a Large Fiberglass Boat Manufacturing Operation	817

AUTHOR INDEX

TOMB, T.F.: Comparison of Mass Concentrations Determined with Personal Respirable Coal Mine Dust Samplers Operating at 1.2 Liters Per Minute and the Casella 113A Gravimetric Sampler (MRE)	826
TREATIS, H.N.: Comparison of Mass Concentrations Determined with Personal Respirable Coal Mine Dust Samplers Operating at 1.2 Liters Per Minute and the Casella 113A Gravimetric Sampler (MRE)	826
TU, Keng-Wu: An Evaluation of an Ultra-High-Volume Airborne Particulate Sampler, The LEAP	360
Monodisperse Aerosols of Ammonium Bisulfate and Pyrene	567
TUOMI, Timo: Airborne Isocyanates in Polyurethane Spray Painting: Determination and Respirator Efficiency	117
TURK, Amos: Assessing the Performance of Activated Carbon in the Indoor Environment	714
TURNER, Leighton K.: Formaldehyde Concentrations in Workrooms Resulting From Off-Gassing From Sandpaper	499
TURNER, Scott: Effects of Electrostatic Charge on Aerosol Collection with Polystyrene Filter Cassettes	745
TURNIPSEED, J.M.: Nonionizing Radiation Aspects of Optical Fiber Manufacturing	796
TYROLER, Herman A.: Cancer Mortality and Solvent Exposures in the Rubber Industry	809

U

UNDERHILL, Dwight W.: Efficiency of Passive Sampling by Adsorbents	306
--	-----

V

VASTA, J.F.: A Multiconcentration Controlled Test Atmosphere System for Calibration Studies	99
Evaluation of the Standard NIOSH Type Charcoal Tube Sampling Method for Organic Vapors in Air	250

W

WARREN, Kenneth R.: Formaldehyde Concentrations in Workrooms Resulting From Off-Gassing from Sandpaper	499
WARWICK, Charles J.: Evaluation of Total Isocyanate-in-Air Method Using 1-(2-Methoxyphenyl) Piperazine and HPLC	39
WEGMAN, David H.: Estimation of Long Term Dust Exposures in the Vermont Granite Sheds	89
WEIL, Carol S.: Some Questions and Opinions on Issues in Toxicology and Risk Assessment (Stokinger Lecture-1984)	663
WHEAT, L.D.: Calibration and Evaluation of a Real-Time Cascade Impactor	205
WHITEHEAD, Lawrence W.: Solvent Vapor Exposures in Booth Spray Painting and Spray Glueing, and Associated Operations	767
WILCOSKY, Timothy C.: Cancer Mortality and Solvent Exposures in the Rubber Industry	809
WILHARDT, Peter: A Method for Personal Sampling and Analysis of Nanogram Amounts of Formaldehyde in Air	425
WILLEKE, Kalus: Size Classification of Fibers and Isometric Particles Keeping Each Fraction Airborne	598
WILLIAMS, David T.: Fabric Protector Tests. Part I — Evaluation of a Grab Sampling Technique for Determination of Organic Vapors	24
Fabric Protector Tests. Part II. Propane, 1,1,1-Trichloroethane, and Petroleum Distillates Levels in Air After Application of Fabric Protectors	28
WILLIAMS, Phillip L.: Kidney Dialysis Ambient Formaldehyde Levels	48
WILLIAMS, Ted: Environmental Study of Poultry Confinement Buildings	760
WILLIAMS, Ted M.: Exposure of Embalmers to Formaldehyde and Other Chemicals	172
WOJINSKI, Stanley F.: The Use of GC/MS Analysis and Fungal Culturing in a Pulp Mill Industrial Hygiene Program	594
WOLF, I.: Generation and Characterization of Radiolabeled Diesel Exhaust	491
WOLF, Toby Bergstein: Assessing the Performance of Activated Carbon in the Indoor Environment	714
WOLFF, R.K.: Deposition and Retention of Inhaled Aggregate $^{67}\text{Ga}_2\text{O}_3$ Particles in Beagle Dogs, Fischer-344 Rats, and CD-1 Mice	377
Generation and Characterization of Radiolabeled Diesel Exhaust	491
WOOD, Gerry O.: Desorption of TEDA From Impregnated Respirator and Adsorber Charcoals	622
WOODFIN, William J.: A Gas and Vapor Generation System with Programmed Automatic Cyclic Output	138
WOODFORD, Charles M.: The Effect of Calibration Tolerance Values on Obtained Audiometric Threshold: A Hearing Conservation Perspective	110

Y

YEH, H.C.: Characterization of Diesel Exhaust in a Chronic Inhalation Study	547
YEH, Hsu-Chi: Analysis of Screen Diffusion Battery Data	556
YOON, Young Hee: Application of Gas Adsorption Kinetics: I. A Theoretical Model for Respirator Cartridge Service Life	509
Application of Gas Adsorption Kinetics: II. A Theoretical Model for Respirator Cartridge Service Life and Its Practical Applications	517

Z

ZAKRAYSEK, Nancy: Kidney Dialysis: Ambient Formaldehyde Levels	48
ZEV, John N.: Characterization of Airborne Cotton Dust Concentration in the Non-Textile Cotton Industry	538
ZIMMERMAN, Neil J.: The Critical Orifice Revisited: A Novel Low Pressure Drop Critical Orifice	340

1984 Subject Index

A

accident, from release of pressurized liquids	227
acetone, recovery from charcoal tubes	231
activated carbon, in ventilation systems	714
monitoring for breakthrough	468
activated carbon system, performance indoors	714
service life of	714
adsorption, of toluene diisocyanate	626
adsorption isotherms, of passive samplers	306
adsorption kinetics, of respirator cartridges	509,517
aerodynamic force, to detach dust from cotton	834
aerodynamic size, by cascade impactor	205
aerosol, fabric protectant sprays	24,28
aerosols, accidental generation of	227
collection by cascade impactor	205
from release of pressurized liquids	227
in-mask sampling for	278
of ammonium bisulfate	567
of gallium oxide	377
of hydrated selenious acid	562
of pyrene	567
of sulfuric acid	285
precision of counting methods	242
samplers for bacterial	76
aerosol deposition, estmg. minute volume of rats	351
aerosol monitor, real-time	610
aerosol sampling, effect of electrostatic charge on	745
aerosol size, effects on diffusion battery	556
agricultural machines, dust in cabs of	(6):8-11
air monitoring, for effectiveness of local exhaust	773
for effectiveness of work practices	773
for hydrogen sulfide	1
air monitoring badge, see dosimeter	
air pollution, from wood burning	431
air-purifying respirators, powered	681
air samplers, for biological hazards	76
air sampling, for formaldehyde	318
for measuring inhalation exposures	187
airborne contaminants, in air of poultry building	760
airflow, effect on diffusive samplers	67
novel critical orifice control	340
aluminum plants, respirators for carbon setters	533
ammonia, in diesel exhaust	547
ammonium bisulfate, generating aerosols of	567
ammonium sulfate, exposure with sulfur dioxide	156
pulmonary effects of	156
analytical methods, NIOSH manual of	(6):A-7
animal exposures, to diesel exhaust	547
Aroclor, permeation of fabrics	(1):B-10
asbestos, fiber counting	84
fiber identification	84
in workers urine	752
asbestos fiber, accuracy of detmn.	329
asbestos fibers, comparison of methods of detmn.	329
direct transfer method for	329
asbestos lagging, exposure control for	(8):B-9
atmospheres, for multiconcentration test	99
audiometers, frequency tolerances of	110
variation in test frequencies	110
auditory threshold, variation with frequencies	110

B

BASIC program, for ventilation design	749
BSF, see benzene soluble fraction	
bacteria, in air of poultry building	760

bacterial aerosols, samplers for	76
bag lifting, physiological study of	505
psychophysical study of	505
battery workers, lead exposures of	802
beards, disposable respirators used with	533
with respirators	63
benzene, charcoal tubes for	250
benzene soluble fraction, in evaluating CPTV	260
benzo(a)pyrene, from wood combustion	431
benzoic acid, detmn. in air	727
beryllium sampling, effect of electrostatic charge	745
biologic indicator, of asbestos exposure	752
biologic monitoring, for formaldehyde	778
biological hazards, samplers for	76
biological indices, of lead exposure	802
biological monitoring, for formaldehyde exposure	19
blood, cadmium levels in	353
blood lead, of battery workers	802
boats, mfg. of fiberglass	817
booths, spray glueing in	767
spray painting in	767
Botsball, see WGT index	
bract, force to detach from cotton	832
brazing, exposure to cadmium in	353
breakthrough, monitoring of carbon absorbers	468
of respirator cartridges	509,517
bronchial reactivity, to ammonium sulfate	156
to sulfur dioxide	156
bus drivers, effects of vibration on	162
butanone, recovery from charcoal tubes	231
butyl alcohol, charcoal tubes for	250

C

CTPV, chromatographic characterization of	260
cadmium, factors in exposures to	353
uptake by brazers	353
calibration, of audiometers	110
of cascade impactor	205
of cyclone samplers	671
of radiation instruments	525
calibration factors, of diffusive samplers	67
calibrations, with multi-concentration atmospheres	99
cancer, relation to solvent exposures	809
cancer mortality, in rubber industry	809
carbon absorbers, monitoring for breakthrough	468
carbon dioxide, in diesel exhaust	547
carbon disulfide, related to leukemia	809
carbon monoxide, in diesel exhaust	547
carbon tetrachloride, related to leukemia	805
carcinogenicity, iron oxide's lack of	127
cartridges, service life in respirators	509,517
cascade impactor, calibration and application	393
calibration of	205
evaluation of	205
piezoelectric crystal	205
real-time	205
Sierra Model 235	393
with oiled paper surface	393
ceramic fibers, deposition in lungs	436
charcoal, desorption of triethylenediamine	622
charcoal tubes, detmn. of glycol ethers	416
errors in detmn. by	250
for organic vapors	250

SUBJECT INDEX

in detmn. of chlorotrifluoroethylene	382
recovery of ketones from	231
standard NIOSH types	250
chip chutes, emissions from	787
chlorobenzene, permeation of gloves	617
chlorobenzilate, exposures of citrus workers	182
chlorotrifluoroethylene, in air	382
chromatography, characterization of CTPV	260
detmn. of isocyanates	39
for polycyclic aromatics	260
in detmn. of KDO	336
chromotropic acid, detmn. of formaldehyde	274
method for formaldehyde	325
chrysotile, in workers urine	752
ciliated airways, effects of sulfuric acid on	285
particle clearance from	285
citrus harvesters, pesticide exposures of	182
cleaning, of cotton	834
coal liquefaction, skin contamination from	474
coal mines, detmn. of respirable dust in	827
coal tar pitch volatiles, see CTPV	
Collision nebulizer, particle sizes from	(3):B-8
colorimetric method, for formaldehyde	425
computer, evaluation of earmuffs	154
evaluation of earplugs	154
hand-held for ventilation design	749
laboratory quality control by	386
computer program, attenuation of earplugs	154
computer search, for training materials	(8):B-7
computers, software on safety	451
construction workers, effects of vibration on	162
contaminants, in air of poultry building	760
control, of formaldehyde exposures	778
of hazardous materials	212
cotton, force to detach dust from	832
cutting, dust exposures in	538
cotton compress warehouses, dust exposures in	538
cotton dust, in non-textile plants	538
cotton gins, dust in	538
cotton waste, dust from	538
cottonseed oil mills, dust in	538
counting methods, precision for particles	242
criteria, for diffusive samplers	67
critical orifice, low pressure drop design	340
cumene, charcoal tubes for	250
Cummings Lecture, David Fraser	573
cyclohexane, charcoal tubes for	250
cyclohexanone, recovery from charcoal tubes	231
cyclone sampler, effect of electrostatic charge	440
of graphite-filled nylon	440
pump fluctuations with	10
cyclone samplers, characterized by Reynold's number	671
miniature	671
predicting performance of	671

D

DNT, analysis in soil	222
data base, for training materials	(8):B-7
deposition, of ceramic fibers in the lungs	436
of gallium oxide aerosols	377
dermal absorption, of herbicides	56
dialysis, formaldehyde exposures from	48
diazinon, in grain dust	168
dibromomethane, permeation of protective clothing	642
dichloroprop, exposures to	56

diesel exhaust, characterization of	547
chronic inhalation study	547
inhalation study	491
radioactive labeled	491
diffusion battery, effects of aerosol size	556
diffusion monitors, see dosimeters	
diffusion samplers, see passive samplers	
see personal samplers	
diffusion sources, for vapor standards	95
diffusive losses, of dosimeters	145
diffusive sampler, also see dosimeter	
also see passive dosimeter	
also see passive monitoring	
also see passive sampler	
evaluation protocol	67
for ethylene oxide	697
diffusive samplers, calibration factors of	67
testing performance of	67
dilution ventilation, for paint vapors	(5):B-7
dimethyl sulfide, in pulp industry	787
dinitrotoluene, analysis in soil	222
dioxane, charcoal tubes for	250
direct transfer method, for asbestos fibers	329
display monitoring, effects of temperature	122
disposable respirators, for carbon setters	533
use with beards	533
disposal, of hazardous materials	212
distillation, vacuum line-cryogenic	193
dosimeter, also see diffusive sampler	
also see passive dosimeter	
also see passive sampler	
for ethylene oxide	697
for hydrogen sulfide	1
dosimeters, also see personal samplers	
for glycol ethers	416
multisorbent system	145
validation of	1
duct diameter, resizing formula	(5):B-7
duplicators, methyl alcohol from	51
spirit	51
dust, analysis for quartz	655
confirmation of silica standards	689
cyclone sampler for	10
force to detach from cotton	832
grain	336
in non-textile cotton plants	538
in North Carolina industry	689
statistical estm. of exposures	89
Dust Buster Plus, modified multi-head sampler	(4):B-18
dust exposures, estimation of long-term	89
in cabs of agricultural machines	(6):B-11
in granite sheds	89
dust sampling, bias of results	187
dusts, precision of counting methods	242

E

ear canal, variations by sex and race	577
earplugs, predictive computer program	154
efficiency, of passive sampling	306
electromagnetic, interference with instruments	740
electromagnetic fields, monitoring in	740
electron microscope, detmn. of asbestos fibers	84
electron microscopy, identification of asbestos	752
electrostatic, bias of samplers	187
electrostatic charge, effect on aerosol sampling	745
effect on nonconductive cyclone	440
on filter cassettes	745
electrostatic precipitator, ultra high volume	360

PAGES B-43 AND B-44 ARE MISSING IN NUMBER ONLY.

FREE FOR THE ASKING

See
Something
you like?
Want more
information?
SEND IT IN

PASS IT ON

Use these convenient inquiry cards to request free information about the products or services advertised in this issue of the AIHA JOURNAL.

For information about specific advertisements: Circle the key number on the card that matches the number on the bottom of the ad.

Just drop one of the postage-paid cards in the mail and your request will be immediately forwarded to the company or companies.

AIHA Journal December 1984 Expires March 1, 1985

Name _____ Title _____
Company _____
Address _____
City _____
State _____ Zip _____

Please circle an entry for each category:

- I. Type of Firm:**
1. Contract Furnisher
2. Manufacturer
3. Consultant
4. School/College
5. Hospital
6. Government

- IV. Number of Employees:**
A. Under 100
B. 100 to 499
C. 500 to 999
D. 1000 to 2499
E. 2500 to 4999
F. 5000 or more

- II. Job Function:**
A. President or Owner
B. Marketing/Sales
C. Ind. Hygienist
D. Physician
E. Nurse
F. Envir. Spec.
G. Safety Spec.
H. Health Spec.
I. Res./Devel.

- V. Annual Dollar Volume:**
1. Under \$50,000
2. \$50,000 to \$99,999
3. \$100,000 to \$499,999
4. \$500,000 to \$999,999
5. \$1 Million to \$5 Million
6. Over \$5 Million

- VI. This Inquiry is For:**
A. Immediate Purchase
B. Future Project

- VII. This Issue was personally addressed to me:**
1. Yes
2. No

- III. Purchasing Authority:**
1. Recommend
2. Specify
3. Approve

- VIII. I have circled:**
A. 8 items or less
B. Over 8 items

Check each advertisement for corresponding number and circle below:

001	021	041	056	071
002	022	042	057	072
003	023	043	058	073
004	024	044	059	074
005	025	045	060	075
006	026	046	061	076
007	027	047	062	077
008	028	048	063	078
009	029	049	064	079
010	030	050	065	080
011	031	051	066	081
012	032	052	067	082
013	033	053	068	083
014	034	054	069	084
015	035	055	070	099
016	036			
017	037			
018	038	700	704	708 712 716
019	039	701	705	709 713 717
020	040	702	706	710 714 718
		703	707	711 715 719

By circling the numbers below, you are ordering the products for trial examination.

Circle 999 above for 12 monthly issues of AIHA JOURNAL and bill me \$60.00

Please have a sales rep. contact me about these items. (write in number) # _____ # _____ # _____ # _____

NOTE:

To speed the processing of your inquiry, please provide all the information requested on the card. This will make it easier for the companies to follow up on your request as soon as possible.

AIHA Journal December 1984 Expires March 1, 1985

Name _____ Title _____
Company _____
Address _____
City _____
State _____ Zip _____

Please circle an entry for each category:

- I. Type of Firm:**
1. Contract Furnisher
2. Manufacturer
3. Consultant
4. School/College
5. Hospital
6. Government

- IV. Number of Employees:**
A. Under 100
B. 100 to 499
C. 500 to 999
D. 1000 to 2499
E. 2500 to 4999
F. 5000 or more

- II. Job Function:**
A. President or Owner
B. Marketing/Sales
C. Ind. Hygienist
D. Physician
E. Nurse
F. Envir. Spec.
G. Safety Spec.
H. Health Spec.
I. Res./Devel.

- V. Annual Dollar Volume:**
1. Under \$50,000
2. \$50,000 to \$99,999
3. \$100,000 to \$499,999
4. \$500,000 to \$999,999
5. \$1 Million to \$5 Million
6. Over \$5 Million

- VI. This Inquiry is For:**
A. Immediate Purchase
B. Future Project

- VII. This Issue was personally addressed to me:**
1. Yes
2. No

- III. Purchasing Authority:**
1. Recommend
2. Specify
3. Approve

- VIII. I have circled:**
A. 8 items or less
B. Over 8 items

Check each advertisement for corresponding number and circle below:

001	021	041	056	071
002	022	042	057	072
003	023	043	058	073
004	024	044	059	074
005	025	045	060	075
006	026	046	061	076
007	027	047	062	077
008	028	048	063	078
009	029	049	064	079
010	030	050	065	080
011	031	051	066	081
012	032	052	067	082
013	033	053	068	083
014	034	054	069	084
015	035	055	070	999
016	036			
017	037			
018	038	700	704	708 712 716
019	039	701	705	709 713 717
020	040	702	706	710 714 718
		703	707	711 715 719

By circling the numbers below, you are ordering the products for trial examination.

Circle 999 above for 12 monthly issues of AIHA JOURNAL and bill me \$60.00

Please have a sales rep. contact me about these items. (write in number) # _____ # _____ # _____ # _____




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 217 CLINTON, IOWA

POSTAGE WILL BE PAID BY ADDRESSEE

American Industrial Hygiene
Association Journal
Reader Service Department
P.O. Box 2007
Clinton, Iowa 52735




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 217 CLINTON, IOWA

POSTAGE WILL BE PAID BY ADDRESSEE

American Industrial Hygiene
Association Journal
Reader Service Department
P.O. Box 2007
Clinton, Iowa 52735



embalmers, exposures to chemicals	172
formaldehyde exposures of	172
emergency response teams, protection of	(8):B-8
emission sources, monitoring of	773
endotoxins, gram-negative bacterial	336
in air of poultry building	760
in grain dust	336
environment, of poultry confinement building	760
environmental samples, fractionation of	193
epichlorohydrin, permeation of protective clothing	642
epidemiology, of formaldehyde exposures	778
of whole body vibration	162
ergonomics, in industrial hygiene practice	(7):B-5
ethanol, charcoal tubes for	250
ethyl benzene, charcoal tubes for	250
passive monitoring for	446
ethylene oxide, estmg. cumulative exposure	44
from sterilizers	44
passive monitoring for	697
exercise, effects with respirators	603
exhaust hoods, efficiency of	485
evaluation with tracer gas	485
experimental design, in toxicology	663
explosives, soil contamination by	222
exposure profile, effect on passive monitoring	446
square wave	446
exposure system, for formaldehyde vapors	269
eye protection, in mfg. optical fibers	796

F

fabric protectants, exposures to	28
1,1,1-trichloroethane in	24,28
organic vapors from	24,28
petroleum distillates in	24,28
propane in	24,28
fabrics, permeation by Aroclor	(1):B-10
facial hair, with respirators	63
farmers, occupational hazards of	34
ferric oxide, see iron oxide	
fiberglass boats, styrene in mfg. of	817
ventilation control in mfg.	817
fibers, deposition in lungs of rats	436
detmn. of asbestos	84
size classification of	598
field testing, of diffusive samplers	67
filter cassettes, effect of electrostatic charge	745
fire gases, multi-head sampler for	(4):B-18
fit test, of respirators	245
fit testing, of respirators	371
fit tests, of respirators	134
flow rate, effect on respirable dust samplers	827
flow variations, with sampler pumps	10
fluorescent lamps, mercury in mfg.	(1):B-7
fluorimetric method, for formaldehyde	425
force, to detach dust from cotton	832
formaldehyde, comparison of sampling methods	318
decontamination for	136
detmn. by chromatographic acid	325
detmn. by pararosaniline	325
detmn. of	274
detmn. of low concentrations	425
exposure of embalmers	172
formic acid in urine from	19
from kidney dialysis	48
in autopsy rooms	136
inhalation exposures to	778
modified method of detmn.	269

nose-only exposure system	269
personal sampler for	425
phenol interference in detmn.	274
release from sandpaper	499
formic acid, from formaldehyde exposure	19
monitoring in urine	19
4-methyl pentane-2-one, recovery from charcoal tubes	231
fractionation, by vacuum-line cryogenic distillation	193
of environmental samples	193
frequency, tolerances of audiometers	110
fungi, in air of poultry building	760
fungus, from wood chips	594

G

gallium oxide, aerosol generation of	377
deposition of inhaled aerosols	377
retention of inhaled aerosols	377
gallium-67, as radioactive tracer	377
labeling of diesel exhaust	491
gases, generation of atmospheres	99
gas adsorption kinetics, of respirator cartridges	509,517
theory and application	509,517
gas chromatography, detmn. of benzoic acid	727
detmn. of chlorotrifluoroethylene	382
internal standards with	95
on-line monitoring by	468
gas generator, programmed cyclic output	138
gloves, permeation by chlorobenzene	617
permeation by chlorotoluene	617
permeation by dichlorobenzene	617
permeation by pentachlorophenol	501
glycol ethers, detmn. by charcoal tube	416
dosimeters for	416
sampling in liquids	416
grab sampling, detmn. of organic vapors	24
detmn. of petroleum distillate	24
detmn. of propane	24
detmn. of trichloroethane	24
grain dust, diazinon in	168
endotoxins in	336
malathion in	168
grain elevators, endotoxins in dust	336
insecticide exposures at	168
granite industry, silica exposures in	689
granite sheds, dust exposures in	89
gravimetric, detmn. of respirable dust	610
gravimetric sampler, Casello-113A (MRE)	826

H

HMX, analysis in soil	222
harvesters, exposures to pesticides	182
hazardous materials, management program for	212
hearing conservation, problems of evaluation	459
review of programs	459
hearing threshold, also see auditory threshold	
factors of sex and race	577
of black nonindustrial population	577
variation with frequencies	110
heat stress, in steel mill	405
measurement of	405
use of respirators in	399
heptane, charcoal tubes for	250
herbicides, exposure of applicators	56
high volume sampler, for particulates	360
hoods, local exhaust	485
horse shoeing, occupational hazards of	34

SUBJECT INDEX

hospitals, decontamination for formaldehyde	136
ethylene oxide exposures in	44
formaldehyde exposures in	48
hydrocarbons, on-line monitoring for	468
hydrogen sulfide, in pulp industry	787
passive dosimeter for	1

I

impactor, cascade	393
impactors, for biological aerosols	76
impinger, use for bacteria	76
industrial hygiene, accelerated pace of	573
Cummings Lecture, 1984	573
ergonomics in	(7):B-5
industrial hygienists, us: in manufacturing plants	365
infrared absorption, detmn. of quartz	655
infrared radiation, in mfg. optical fibers	796
inhalation, of herbicide aerosols	56
inhalation exposure, nose-only system	269
inhalation exposures, bias in evaluation of	187
sampling techniques for	187
to formaldehyde	778
insecticide, exposures at grain elevators	168
instruments, radio frequencies interference	740
interference, from radio frequencies	740
internal standards, in gas chromatography	95
iron oxide, literature review on	127
noncarcinogenicity of	127
irritant effects, of formaldehyde	778
isobutyl acetate, charcoal tubes for	250
isocyanates, detmn. by liquid chromatography	39
detmn. by 1-(2-methoxyphenyl)piperazine	39
detmn. inside respirators	117
in paint sprays	117
total in air	39
isomeric composition, of TDI	199
isometric particles, size classification of	598
isopropyl acetate, charcoal tubes for	250
isopropyl alcohol, charcoal tubes for	250
isotherms, adsorption	306

K

KDO, in grain dust	336
kidney dialysis, formaldehyde from	48
kraft paper mills, exposures in	787

L

LEAP, liquid electrostatic aerosol precipitator	360
laboratory, quality control program	386
lagging, with asbestos	(8):B-9
lamps, fluorescent	(1):B-7
latex/neoprene gloves, permeation by PCP	501
lead, powered air-purifying respirators for	681
lead exposures, from contaminated surfaces	802
of battery workers	802
lead oxide, wipe tests for	311
lead smelter, use of powered air-purifying respirators	236
leukemia, related to carbon disulfide	809
related to carbon tetrachloride	809
liquefied gas, safe use of	293
liquid gas systems, oxygen deficiency caused by	293
lobar minute volume, of rats	351

local exhaust, air monitoring for effectiveness of	773
efficiency of hoods	485
longwall shearer face, respirable dust at	610
lungs, deposition of ceramic fibers in	436
particle clearance from	285

M

malathion, in grain dust	168
management, of hazardous materials	212
manual, of analytical methods	(6):A-7
mass concentration, detmn. by respirable dust samplers	827
material handling, bag lifting	505
mercaptans, in pulp industry	787
mercury, in lamp mfg.	(1):B-7
mesityl oxide, charcoal tubes for	250
methyl alcohol, from spirit duplicators	51
methyl cellosolve, charcoal tubes for	250
methyl chloroform, charcoal tubes for	250
methyl ethyl ketone, charcoal tubes for	250
recovery from charcoal tubes	231
methyl isobutyl ketone, charcoal tubes for	250
recovery from charcoal tube	231
methylene chloride, charcoal tubes for	250
microbial activity, in wood chips	594
microbiological aerosols, samplers for	76
microcomputers, see computers	
microscopic, detmn. of asbestos fibers	84
mine dust, analysis for quartz	655
mineral oil, in CTPV	260
miners, effects of vibration on	162
mines, measurement of radiation in	708
radon daughters in	708
miniature cyclones, characteristics of	671
minimal effect level, in risk assessment	663
minute volume, estimated from aerosol deposition	351
of rats	351
model, for predicting pesticide exposures	182
molds, from wood chips	594
monitoring, breakthrough of carbon absorbers	468
contaminant emission sources	773
effectiveness of control measures	773
fabric protectant sprays	24,28
field validation of	299
for formaldehyde	318
for formic acid	19
for hydrogen sulfide	1
for nitrous oxide	813
formaldehyde exposures	19
of formaldehyde exposures	778
saturation of activated carbon filters	714
square wave exposure profiles	446
statistical validation of	299
monitoring displays, efficiency of personnel	122
temperature effects on	122
monodisperse aerosols, of ammonium bisulfate	567
of pyrene	567
mortuary, formaldehyde exposures in	172

N

NIOSH manual, of analytical methods	(6):A-7
NIOSH method, for detmn. of asbestos fibers	329
naphtha, charcoal tubes for	250
nebulizers, Collison	(3):B-8
nitrile rubber, permeation by chemicals	634,642
nitrile rubber gloves, permeation by PCP	501
permeation of	617

- nitrogen oxides, in diesel exhaust 547
- nitrous oxide, comparison of methods for 813
- monitoring for 813
- personal sampler for 345
- thermal desorption of 345
- noise, evaluation strategy for 105
- exposure of farmers 34
- risk assessment of 105
- noise exposure, computer simulation of 154
- noise limits, in hearing conservation 459
- nonionizing radiation, in optical fiber mfg. 796
- O**
- Oak Ridge, hazardous materials program 212
- occupational health, Cummings Lecture 573
- today's practices in 573
- training materials for (8):B-7
- octane, charcoal tubes for 250
- odor threshold, detmn. for 2-nitropropane (2):B-7
- 1,1,1-trichloroethane, detmn. by grab sampling 24
- from fabric protectants 24,28
- 1,(2-methoxyphenyl)piperazine, detmn. of isocyanates 39
- opposing-jets classifier, for fiber size detmn. 596
- optical fibers, nonionizing radiation in mfg. of 796
- organic vapor, passive monitoring badges 446
- organic vapors, charcoal tubes for 250
- from fabric protectant spray 24,28
- orifice, low pressure critical 340
- oxygen deficiency, control program for 293
- from release of liquefied gas 293
- P**
- PAH, see polycyclic aromatics
- PCB, permeation of protective clothing 634
- polychlorinated biphenyls
- PCP, also see pentachlorophenol
- paint mixing, solvent vapors from (5):B-7
- paint storage, solvent vapors from (5):B-7
- pararosaniline, method for formaldehyde 325
- particle clearance, from lungs 285
- sulfuric acid effects on 285
- particle counting, precision of 242
- particle size, detmn. by cascade impactor 205
- effects on diffusion battery 556
- from Collison nebulizers (3):B-8
- particulate sampler, LEAP 360
- ultra high volume 360
- particulate sampling, by miniature cyclones 671
- particulates, from residential wood burning 431
- in diesel exhaust 547
- passive dosimeter, also see dosimeter
- for hydrogen sulfide 1
- multisorbent system 145
- passive monitor, for nitrous oxide 813
- passive monitoring, effect of exposure profile 446
- for ethylene oxide 697
- passive sampler, also see diffusive sampler
- passive sampling, efficiency of 306
- for formaldehyde 318
- Pell's evaluation, for hearing conservation 459
- penetration, detmn. by counting methods 242
- pentachlorophenol, permeation through gloves 501
- pentane, charcoal tubes for 250
- perchloroethylene, permeation of protective clothing 642
- permeation, of fabrics by Aroclor (1):B-10
- of gloves by PCP 501
- of nitrile rubber gloves 617
- of protective clothing 634,642
- of Viton gloves 617
- permeation tubes, also see diffusion sources
- for multi-vapor atmospheres 99
- personal sampler, for formaldehyde 425
- for nitrous oxide 345
- personal samplers, also see diffusion samplers
- also see dosimeters
- also see passive samplers
- for biological hazards 76
- pump fluctuations of 10
- pesticide, model for predicting exposures 182
- pesticide exposures, of tree crop harvesters 182
- pesticides, in urine 182
- petroleum distillates, detmn. by grab sampling 24
- from fabric protectants 24,28
- phase contrast microscopy, detmn. of asbestos fibers 329
- phenol, interference in formaldehyde detmn. 325
- interference with formaldehyde detmn. 274
- physiologic burden, of respirators 603
- physiologic effects, of respirators in hot work 399
- of respirators in work stress 399
- physiological effects, of pressure-demand masks 177
- picloram, exposures to 56
- piezoelectric, cascade impactor 205
- pocket computer, use for ventilation design 749
- poly-nitro compounds, analysis in soils 222
- polychlorinated biphenyls, also see PCB
- polycyclic aromatics, in CTPV 260
- polyethylene, permeation by chemicals 634,642
- polystyrene cassettes, effect of electrostatic charge 745
- polyurethane foam, isomeric TDI in 199
- polyurethanes, spray painting with 117
- polyvinyl alcohol coating, permeation by chemicals 634,642
- polyvinylchloride gloves, permeation by PCP 501
- poultry, environment in confinement building 760
- poultry building, fungi in 760
- powered air-purifying respirators, sampling in 278
- powered respirators, protection factor of 681
- protection from lead 681
- presbycusis, differences by sex and race 577
- of black nonindustrial population 577
- pressure-demand respirators, effects of use 177
- pressurized liquids, aerosols from 227
- program, for ventilation design 749
- propane, detmn. by grab sampling 24
- from fabric protectants 24,28
- protection factor, of powered air-purifying respirators 681
- vs. respirator fit 681
- protection factors, of powered air-purifying respirators 236
- protective clothing, permeation by PCB 634
- permeation by solvents 642
- permeation of (1):B-10
- Pro-Tek, ethylene oxide badge 697
- hydrogen sulfide dosimeter 1
- Pro-Tek Formaldehyde Badge, validation of 318
- pulmonary function, effects of ammonium sulfate 156
- effects of sulfur dioxide 156
- pulp industry, hydrogen sulfide in 787
- mercaptans in 787
- seasonal variation of exposures 787
- sulfur dioxide in 787
- pulp mills, airborne molds in 594
- pump fluctuations, with cyclone samplers 10
- pyrene, generating aerosols of 567

SUBJECT INDEX

Q

qualitative fit tests, by irritant smoke	245
evaluation of	245
quality control, in industrial hygiene laboratory	386
quartz, detmn. by IR absorption	655
detmn. by X-ray diffraction	655
quartz analyses, laboratory crosscheck of	655
of airborne dust from mines	655

R

RAM-1, real-time aerosol monitor	610
RDX, analysis in soil	222
radiation, instrument calibration facility	525
nonionizing in optical fiber mfg.	796
radio frequency	791
radon daughters in mines	708
radon/thoron test facility	525
working level measurement	708
radiolabeled, diesel exhaust	491
radiolabeled aerosols, of selenious acid	562
radio frequencies, exposure of ships officers	791
interference with instruments	740
radon daughters, in mine air	708
measurement of	708
radon/thoron, walk-in test facility	525
rats, lobar minute volume of	351
respirable dust, at longwall shearer face	610
gravimetric detmn. of	610
in air of poultry building	760
respirable dust samplers, detmn. of mass concentration by	826
effect of flow rate on	826
for coal dust	826
respirators, effectiveness for isocyanates	117
effects with exercise	603
field test protocol	236
for carbon setters	533
frequency of fit tests	134
in-mask sampling of aerosols	278
powered air-purifying	236,278,681
pressure-demand	177
protection factors of	236
qualitative fit test of	245
respiratory load imposed by	603
sampling inside mask	117
study of disposable	533
use under heat stress	399
use under work stress	399
use with beards	533
work rate limited by	603
worn with beards	63
respirator cartridges, gas adsorption kinetics of	509,517
predicting service life	509,517
respirator fit, vs. protection factor	681
respirator fit tests, with saccharin aerosols	371
respiratory load, imposed by respirators	603
retention, of gallium oxide aerosols	377
risk assessment, minimal effect level in	663
role of toxicology	663
Royster's evaluation, for hearing conservation	459
rubber, permeation by chemicals	634,642
rubber gloves, permeation by PCP	501
rubber industry, cancer mortality in	809
solvent exposures in	809

S

saccharin aerosols, for respirator fit tests	371
safety, training material for	(8):8-7
safety professionals, use in manufacturing plants	365

safety programs, computer software for	451
sampler, liquid electrostatic precipitator	360
portable multi-head	(4):8-18
ultra high volume	360
samplers, biased by inlet	187
sampling, also see air sampling	
for biological aerosols	76
for formaldehyde	318
sampling bias, by contaminated clothing	187
sampling errors, with charcoal tubes	250
sampling pumps, for 10-mm cyclone	10
sampling strategy, for noise exposures	105
sampling systems, diffusive	145
sandpaper, release of formaldehyde from	499
screen diffusion battery, analysis of data from	556
selenious acid, double radiolabeled aerosols of	562
generating aerosols of	562
hygroscopic character of	562
service life, of activated carbon filters	714
silica exposures, in North Carolina industry	689
North Carolina vs. Vermont data	689
silica gel, sampling for glycol ethers	416
silica standards, confirmed by new data	689
silica classification, of fibers	598
of isometric particles	598
size distribution, effects on diffusion battery	556
skin contamination, from coal liquefaction process	474
with synthetic oil	474
smokes, for respirator fit testing	245
software, for safety programs	451
free form programs	451
soil, poly-nitro compounds in	222
soldering, cadmium exposures from	353
solid waste, of hazardous materials	212
solvent exposures, correlation with cancer	809
in rubber industry	809
solvent vapors, detmn. of carbon absorber breakthrough	468
from paint mixing	(5):8-7
hazard index of	719
in paint storage	(5):8-7
in spray glueing booth	767
in spray painting booth	767
solvent wiping, vapor exposures from	767
sorbents, for multi-use dosimeters	145
Spill Spotter, for detmn. of skin contamination	474
spirit duplicators, methyl alcohol from	51
spores, in air of wood chip tunnels	594
spray glueing, solvent vapors in booth	767
spray painting, isocyanate exposures from	117
solvent vapors in booth	767
with polyurethane paints	117
sprays, fabric protectant	24,28
standard atmospheres, for testing samples	67
standards, internal in chromatography	95
statistical evaluation, of control measures	773
steel mills, heat stress in	405
sterilizers, ethylene oxide from	44
Stokinger Lecture (1984), Carrol Weil	663
styrene vapor, in fiberglass boat mfg.	817
styrene vapors, control by ventilation	817
sulfite paper mills, exposures in	787
sulfur dioxide, exposure with ammonium sulfate	156
in pulp industry	787
pulmonary effects of	156
sulfur hexafluoride, as a tracer gas	485

sulfuric acid, dose dependent effects of	285
effects on particle clearance	285
submicron aerosols of	285
synfuel oil, also see synthetic oil	
synthetic oil, skin contamination from	474

T

TDI, also see toluene diisocyanate	
isomeric composition	199
TEDA, also see triethylenediamine	
Teflon, permeation by chemicals	634,642
temperature effects, persons monitoring displays	122
test atmospheres, multiconcentrations	99
test facility, radon/thoron aerosols	525
tetryl, analysis in soil	222
thermal desorption, of dosimeters	145
of nitrous oxide	345
thermal stress, also see heat stress	
in monitoring displays	122
threshold shift, in hearing conservation	459
of black nonindustrial population	577
toluene, charcoal tubes for	250
toluene diisocyanate, adsorption on walls	626
also see TDI	
gas phase reaction of	626
reaction with water vapor	626
toxicology, in risk assessment	663
interpretation of data	663
of formaldehyde exposures	778
tracer gas, in evaluation of local exhaust hoods	485
sulfur hexafluoride as a	485
tractors, dust in cabs of	(6):B-11
training materials, for Occupational Health & Safety	(8):B-7
transportation emergencies, community protection	(8):B-8
tree crop harvesters, exposures of	182
trinitrotoluene, analysis in soil	222
trichloroethylene, permeation of protective clothing	642
triethylenediamine, desorption from charcoal	622
triethylenediamine, impregnated filters	622
truck drivers, effects of vibration on	162
2-4-D, exposure to	56
2,4,6-TNT, analysis in soil	222
2-keto-3-deoxyoctonate, also see KDO	
in grain dust	336
2-nitropropane, detmn. odor threshold of	(2):B-7

U

UV fluorescence, for detmn. of skin contamination	474
ultraviolet radiation, in mfg. optical fibers	796
urine, asbestos in	752
chrysotile in	752
monitoring for herbicides	56
monitoring formic acid in	19

V

vacuum line-cryogenic fractionation, of samples	193
validation, of formaldehyde sampling	318
of hydrogen sulfide dosimeter	1
of monitoring methods	299
vapor, detmn. by gas chromatography	95
vapor generator, programmed cyclic output	138
vapor hazard index, for solvent exposures	719
vapor hazard ratio, in predicting solvent hazards	719
vapor pressure, in predicting solvent hazards	719
vapor standards, from diffusion sources	95
vapors, generation of atmospheres	99
ventilation, control of styrene vapors	817
in fiberglass boat mfg.	817
of paint mixing	(5):B-7
of paint storerooms	(5):B-7
resizing ducts	(5):B-7
ventilation design, program for hand-held computer	749
program in BASIC	749
ventilation systems, formaldehyde in	136
Vermont, dust in granite sheds	89
vibration, whole body	162
visible radiation, in mfg. optical fibers	796
Viton, permeation by chemicals	634,642
Viton gloves, permeation of	617
Vitrite, permeation by chemicals	634,642

W

WBGT index, measurement of	405
WGT index, measurement of	405
waste, from hazardous materials	212
whole body vibration, review of	162
wipe tests, deficiencies of	311
for lead oxide	311
laboratory evaluation of	311
wood chips, airborne molds from	594
wood chip tunnels, air contaminants in	594
also see chip chutes	
wood combustion, air pollution from	431
benzo(a)pyrene from	431
particulates from	431
work capacity, with pressure-demand masks	177
work practices, air monitoring for the effectiveness of	773
work rate, limited by respirators	603
work stress, use of respirators in	399
working level meter, for radon daughters	708
MDA Model-811	708

X

X-ray diffraction, detmn. of quartz	655
-------------------------------------	-----

Z

zinc protoporphyrin, of battery workers	802
---	-----